



TECHNICAL DATA:



Not easily accessible device,
according to standard EN 1176-1:2017

Device dimensions:	8,76 x 2,20m
Device height:	2,80m
Minimum space:	12,20 x 5,68 m
Falling area:	49.52 m ²
Critical fall height:	1,90m
Foundations depth:	-0,60m

The device according to EN 1176-1:2017
Playground equipment and surfacing – Part 1:
General safety requirements and test methods

Safety surfaces:
- sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height

Top view with impact area



COMPONENTS:

Tower without roof, platform 100 cm	2 pcs
Tower without roof, platform 120 cm	1 pc
Tower without roof, platform 150 cm	3 pcs
Tower without roof, platform 190 cm	1 pc
Tower without roof, platform 30 cm	1 pc
Tower without roof, platform 60 cm	3 pcs
Slide, 150cm	1 pc
Vertical ladder	9 pcs
Diagonal rope tunnel	1 pc
Climbing wall, plexiglas, 190cm	1 pc
Fireman's pole with a ladder	1 pc

MATERIALS:

Construction poles:	steel square profiles, galvanized, powder coated in gray
Flat decorative elements:	HDPE sheets
Platforms, gangways:	waterproof plywood, with anti-slip layer, based on steel structure
Steel elements:	galvanized steel, powder coated
Surface of slide:	stainless steel
Ropes:	polypropylene braided with a steel, interconnected by plastic fasteners
Climbing wall:	polycarbonate, climbing grips made of material based on resins
Caps:	plastic
Foundations:	concrete min. C12/15 standard



SATERNUS DISTRIBUTION Sp. z o.o. sp.k.
ul. Nowa 32
41-500 Chorzów, Poland

Certificate beholder:
Producer:
Distributor:

GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, pc 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS Sp. z o.o. S. K. A.
Saternus Production Sp. z o.o. sp. k.
Saternus Distribution Sp. z o.o. sp. k.