



TECHNICAL DATA:

Not easily accessible

Width: 6,84 m

Length: 16,88 m

Height: 4,92 m

Impact area F: 140,77 m²

Dimensions of packed item: 2,00 x 0,50 x 0,20 m

Weight of item: 32 kg

HIC: 3,00 m

Dimensions of impact area length: 20,56 m

Dimensions of impact area width: 10,66 m


Depth of foundations: -0,60 m

The device according to PN-EN 1176-1:2017-12 standards playground equipment.


General safety requirements and examination methods.

Safety surface: sand, gravel, bark, rubber (minimal thickness for all loose surfaces 300 mm)

Rzut urządzenia wraz ze strefą funkcjonalną:



Widok urządzenia:



LIST OF ELEMENTS

Alien barrier: 1
Arc twisted net 220 cm: 1
Big platform under the tower 60 cm: 2
Blue roof with stars: 2
on Climbing ropes 250 cm: 2
Climbing wall with a round hole, plexiglas, 210cm: 1
Coups set: 1
Diagonal entry ropenet: 1
Diagonal rope tunnel: 2
Drawing board: 2
External barrier with: 3
External barrier with: 2
Fireman's pole 150cm: 1
Fireman's pole with a ladder 160cm: 1
High barrier: 1
Narrow horizontal rope net: 1
Raising bar 200cm: 1
Rope net height 205 cm: 1
Rope net with stairs height 150 cm: 1
Satellite barrier: 1
Slide 136cm: 1
Slide 210cm: 1
Slide 90 cm: 1
Space rocket barrier: 1
Tower without roof, platform 100cm: 1
Tower without roof, platform 110cm: 1
Tower without roof, platform 120cm: 1
Tower without roof, platform 150cm: 3
Tower without roof, platform 160cm: 1
Tower without roof, platform 210cm: 4
Tower without roof, platform 60cm: 4
Tower without roof, platform 90 cm: 1
U.F.O. barrier: 2
Vertical ladder- 1 grade: 8
Vertical ladder- 2 grades: 10
Vertical ladder- 3 grades: 7
Wide climbing wall 250 cm: 1
Wide horizontal rope net: 1
Wide tower with roof, platform 150cm: 1
Wide tower with roof, platform 250cm: 1
Wide tower with roof, platform 300cm: 1
Yellow roof with: 1

MATERIALS:

Anchors: galvanized steel
Caps: plastic
Climbing wall: shuttering waterproof plywood or plexiglass, climbing grips made of material, based resins
Construction Legs: galvanized steel profiles, powder painted
Foundations: concret min. B-15 standard
Platforms: self-supporting structure, coated with non-slip material
Roof elements: HDPE plate
Slide: stainless steel
Steel elements: galvanized steel, powder painted



SATERNUS DISTRIBUTION Sp. z o.o.
sp.k.
ul. Nowa 32
41-500 Chorzów

Właściciel certyfikatu:
Producent:
Dystrybutor:

SATERNUS DISTRIBUTION Sp. z o.o. sp. k. zastrzega sobie wszelkie prawa do ochrony praw autorskich na podstawie Ustawy z dnia 04.02.1994 r. o prawie autorskim i prawach pokrewnych (DZ. U. Nr 28 poz. 83) a zwłaszcza art. 78 i 79 tejże ustawy.

GRUPA SATERNUS Sp. z o.o. S. K. A. (następca prawny Place Zabaw Saternus Sp. z o.o.)
Saternus Production Sp. z o.o. sp. k.
Saternus Distribution Sp. z o.o. sp. k.