



**TECHNICAL DATA**

Max. height fall	1,2 m
Dimensions (W x L x H)	3,01 x 3,42 x 1,51 m
Safety area dimensions	6,0 x 6,3 m
Safety area	27,8 m <sup>2</sup>
Recomended safety surface	According to norm 1176-1:2017

**Available options:**

	PREMIUM	PREMIUM PLUS
STEEL	Galvanized and powder coated steel elements	Structural poles of stainless steel, other elements made of galvanized steel with powder coating **
PLATFORMS	HPL antislip	HPL antislip
PLATES	HDPE / HPL and HDPE plastic panels with three layers and milled drawings	HDPE / HPL and HDPE plastic panels with three layers and milled drawings.
FOUNDATIONS	The device permanently sited in the ground, concrete class C16 / 20	The device permanently sited in the ground, concrete class C16 / 20
ADDITIONAL ELEMENTS	Structural beams connected with clamps. Screw heads, nuts covered with plastic plugs. Cap nuts	Structural beams connected with clamps. Screw heads, nuts covered with plastic plugs. Cap nuts

\* Due to the continuous improvement of technical solutions by FreeKids, presented drawings, including colors and dimensions may slightly differ from currently manufactured devices. Certificate of compliance with the PN-EN 1176: 2017

\*\* Optional execution of stainless steel elements (valuation available on individual request).