

**TECHNICAL DATA:**



Easily accessible device,  
according to standard EN 1176-1:2017

Device dimensions:: 3,11x3,11m  
 Device height: 3,70m  
 Falling area: 5,85x5,85m  
 Minimum space: 32,29m<sup>2</sup>  
 Critical fall height: 0,45m  
 Foundations depth: -0,60

The device according to EN 1176-1:2012  
 Playground equipment and surfacing – Part 1:  
 General safety requirements and test methods

Safety surfaces:  
 - turf/topsoil, sand, gravel, bark, synthetic surface  
 - minimal thickness for loose particulate materials 200+100mm  
 - synthetic surface according to critical fall height

**Top view with falling area**



## COMPONENTS::

Steel structure	1 pc
Horizontal rope net	1 pcs
Small platform	20 pcs
Big platform	5 pcs

## MATERIALS:

Construction poles:	steel square profiles, galvanized, powder coated
Flat elements:	HDPE
Ropes:	polypropylene braided with a steel, interconnected by plastic fasteners
Steel elements:	galvanized steel, powder coated
Caps:	plastic
Foundations:	concrete min. C12/15 standard



SATERNUS DISTRIBUTION Sp. z o.o. sp.k.  
ul. Nowa 32  
41-500 Chorzów, Poland

Certificate beholder:  
Producer:  
Distributor:

GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, pc 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS Sp. z o.o. S. K. A.  
Saternus Production Sp. z o.o. sp. k.  
Saternus Distribution Sp. z o.o. sp. k.