
SUBMARINE Series Industrial IND-LP





## **TECHNICAL DATA**

Max. height fall 1,7 m

Dimensions (W x L x H) 5,93 x 6,11 x 2,92 m

Safety area dimensions  $8,9 \times 9,1 \text{ m}$  Safety area  $52,8 \text{ m}^2$ 

Recomended safety surface According to norm 1176-1:2017

## **Available options:**

7. Turinania o perorio.		
	PREMIUM	PREMIUM PLUS
STEEL	Galvanized and powder coated steel elements	Structural poles of stainless steel, other elements made of galvanized steel with powder coating **
ROPES	Ropes with a steel core with a braid made of polypropylene, joined by plastic or aluminum connectors	Ropes with a steel core with a braid made of polypropylene, joined by plastic or aluminum connectors
PLATES	HDPE / HPL and HDPE plastic panels with three layers and milled drawings	HDPE / HPL and HDPE plastic panels with three layers and milled drawings.
FOUNDATIONS	The device permanently sited in the ground, concrete class C16 / 20	The device permanently sited in the ground, concrete class C16 / 20
ADDITIONAL ELEMENTS	Structural beams connected with clamps. Screw heads, nuts covered with plastic plugs. Cap nuts	Structural beams connected with clamps. Screw heads, nuts covered with plastic plugs. Cap nuts

<sup>\*</sup> Due to the continuous improvement of technical solutions by FreeKids, presented drawings, including colors and dimensions may slightly differ from currently manufactured devices. Certificate of compliance with the PN-FN 1176: 2017



devices. Certificate of compliance with the PN-EN 1176: 2017
\*\* Optional execution of stainless steel elements (valuation available on individual request).