

## **TECHNICAL DATA:**

Not easily accessible device, according to standard EN 1176-1:2017

Device dimensions: 11,32m x 8,31m

Device height: 7,00m

Minimum space: 13,85m x 11,39m


Falling area: 90,76m²
Critical fall height: 3,00m
Foundations depth: -0,60m

The device according to EN 1176-1:2017 Playground equipment and surfacing – Part 1: General safety requirements and test methods

## Safety surfaces:

- sand, gravel, bark, synthetic surface
- minimal thickness for loose particulate materials 300+100mm
- synthetic surface according to critical fall height

## Top view with impact area



## COMPONENTS: MATERIALS:

Tower without roof, platform 2,10m Tower without roof, platform 0,60 / 2,10m	1 pc 1 pc	Construction poles:	steel square profiles, galvanized, powder coated in gray
Tower without roof, platform 0,60 / 2,10m Tower with roof, platform 1,50m Tower with roof, platform 0,60 / 3,00m Tower with roof, platform 1,20 / 4,00m Tower with roof, platform 1,80 / 5,00m Slide, height 1,50m Slide, height 2,10m Spiral slide, height 5,00m	1 pc 1 pc 1 pc 1 pc 1 pc 1 pc 1 pc 1 pc	Flat decorative elements: Platforms, gangways:  Steel elements: Surface of slide: Spiral slide: Ropes:	
Sliding pipes, height 1,80m Fireman's pole with ladder Fireman's pole, height 0,60m Entry rope net 1,50m Vertical climbing wall Sloping bridge with beams Diagonal rope tunel Tunnel passage	1 pc 1 pc 1 pc 1 pc 1 pc 1 pc 1 pc 1 pc	Climbing wall: Tunnel: Caps: Foundations:	



SATERNUS DISTRIBUTION Sp. z o.o. sp.k. ul. Nowa 32 41-500 Chorzów, Poland

Certificate beholder: Producer: Distributor: GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, pc 83), and in particular Art. 78 and 79 of this Law.